Date: Dec. 7, 2010

2010-401-8

Phone: 803-896-5100 Fax: 803-896-5199

Public Service Commission of South Carolina 101 Executive Center Dr., Suite 100 Columbia, SC 29210



Complaint Form

www.pac.se.gov
Print
Refusal to Connect Service Line Extension Issue
ter problem
this page if necessary.)
know it until the flooring on Works said we didn't use 5 months without shutting as the Water Works did,
them. Please give them

0475@charter.net	SC 29369				
0475@charter.net	SC 29369			2	777
0475@charter.net	SC 29369			— 6. —	
0475@charter.net	SC 29369		0.0475		
Complaint: * D		Phone * 864-57	6-04/5	<u>.</u>	
n Complaint: * D					
	uke-Energy	the and of th	is form	7	
utility involved, plea	se complete the attachm	ent located at the end of th		Giran L	
Payment A	rrangements	Wrong Rate Water Quality r power usage due to ho	Line E:	w Connectension Is	
- C Deculatory Sta	ff(ORS)? * ⊠Yes [Name of ORS Contact: B			
te/Complaint: * (T	his section must be com	pleted. Attach additional in	formation to this pa	ige if nece	ssary.)
excessive power us	sed in this unfortunate	vater neater evidently fail mmission to ask Duke-Er incident.			
section must be com	pleted. Attach additiona	l information to this page it	fnecessary.)		
annot credit our acc	count the \$900 excess o so, as you are our o	sive energy, because PS inly advocate to protect c	C won't let them. citizens.	Please g	ive them
ven order them to d					
ven					